



















# **TUBE-HOSE** & FITTINGS










www.sedco.co.uk

E-mail sales@sedco.co.uk

Issue 1 - ©Sedco Limited 2021













## **SECTION INDEX**

- Nylon Tubing for Air, Paint and Solvent
- **FEP Tubing for Paint and Catalyst**
- Manual Spray Gun Paint Hose
- Manual Spray Gun Air Hose
- Suction Hose assemblies Paint and Catalyst
- Pre Made Hose and Fitting Assemblies
- Twin Ferrule Connections for Tube
- 8. Misc Fittings & Connections

## **HOSE BURST PRESSURE** SAFETY FACTOR

**SECTION 1 NYLON TUBING FOR AIR, PAINT AND SOLVENT 4:1 SECTION 2 FEP TUBING FOR PAINT AND CATALYST 5:1** SECTION 5 SUCTION HOSE ASSEMBLIES PAINT AND CATALYST 4:1 **SECTION 6 PRE MADE HOSE AND FITTING ASSEMBLIES 4:1** 

THE ABOVE SAFETY FACTORS ARE THE RATIO OF WORKING PRESSURE TO BURST PRESSURE











### **SECTION 1**

## NYLON TUBING FOR AIR, PAINT AND SOLVENT

Sedco Nylon tubing is suitable for air paint and solvent, quite often used to supply air, paint and solvent to automatic spray guns and applicators. Available in 30 metre coils in a variety of sizes and colours.



Part	Outside	Inside	Coil	Working	Colour
Number	Diameter	Diameter	Size	Pressure	
NYL4X2X30	4mm	2.5mm	30 Metre	26 BAR	Natural
NYL4X2X30B	4mm	2.5mm	30 Metre	26 BAR	Blue
NYL4X2X30BK	4mm	2.5mm	30 Metre	26 BAR	Black
NYL4X2X30G	4mm	2.5mm	30 Metre	26 BAR	Green
NYL4X2X30R	4mm	2.5mm	30 Metre	26 BAR	Red
NYL4X2X30Y	4mm	2.5mm	30 Metre	26 BAR	Yellow
NYL6X4X30	6mm	4mm	30 Metre	24 BAR	Natural
NYL6X4X30B	6mm	4mm	30 Metre	24 BAR	Blue
NYL6X4X30BK	6mm	4mm	30 metre	24 BAR	Black
NYL6X4X30G	6mm	4mm	30 Metre	24 BAR	Green
NYL6X4X30R	6mm	4mm	30 Metre	24 BAR	Red
NYL6X4X30Y	6mm	4mm	30 Metre	24 BAR	Yellow
NYL8X6X30	8mm	6mm	30 Metre	14 BAR	Natural
NYL8X6X30B	8mm	6mm	30 Metre	14 BAR	Blue
NYL8X6X30BK	8mm	6mm	30 Metre	14 BAR	Black
NYL8X6X30G	8mm	6mm	30 Metre	14 BAR	Green
NYL8X6X30R	8mm	6mm	30 Metre	14 BAR	Red
NYL8X6X30Y	8mm	6mm	30 Metre	14 BAR	Yellow











## **SECTION 1 CONTINUED NYLON TUBING FOR AIR, PAINT AND SOLVENT**

Part	Outside	Inside	Coil	Working	Colour
Number	Diameter	Diameter	Size	Pressure	
NYL9X6X30	9mm	6mm	30 Metre	22 BAR	Natural
NYL10X7X30	10mm	7mm	30 Metre	22 BAR	Natural
NYL10X8X30	10mm	8mm	30 Metre	14 BAR	Natural
NYL10X8X30B	10mm	8mm	30 Metre	14 BAR	Blue
NYL10X8X30BK	10mm	8mm	30 Metre	14 BAR	Black
NYL10X8X30G	10mm	8mm	30 Metre	14 BAR	Green
NYL10X8X30R	10mm	8mm	30 Metre	14 BAR	Red
NYL10X8X30Y	10mm	8mm	30 Metre	14 BAR	Yellow
NYL12X10X30	12mm	10mm	30 Metre	12 BAR	Natural
NYL12X10X30B	12mm	10mm	30 Metre	12 BAR	Blue
NYL12X10X30G	12mm	10mm	30 Metre	12 BAR	Green
NYL12X10X30Y	12mm	10mm	30 Metre	12 BAR	Yellow












### **SECTION 2**

### FEP TUBING FOR PAINT AND CATALYST

Sedco FEP tubing is a high quality tube used for easy flushing of paints or for the delivery of isocyanate hardeners and catalysts where moisture in nylon tubing can cause issues.



Part	Outside	Inside	Coil	Working	Colour
Number	Diameter	Diameter	Size	Pressure	
HFEP0604M	6mm	4mm	Per Metre	11 BAR	Natural
HFEP0805M	8mm	5mm	Per Metre	13 BAR	Natural
HFEP0806M	8mm	6mm	Per Metre	7 BAR	Natural
HFEP0906M	9mm	6mm	Per Metre	11.2 BAR	Natural
HFEP1008M	10mm	8mm	Per Metre	5 BAR	Natural
HFEP1210M	12mm	10mm	Per Metre	4 BAR	Natural
	BLACK FEP	FOR U.V. LIGH	IT SENSITIVE M	IATERIALS	
HFEP1008BKM	10mm	8mm	Per Metre	5.6 BAR	Black
IMPERIAL TUBE FOR RANSBURG 2K & 3K FLUID PANELS					
RSSP5020	3/8"	1/4"	Per Metre	11 BAR	Natural
R7669803A	1/4"	1/8"	Per Metre	22 BAR	Natural











### **SECTION 3**

## MANUAL SPRAY GUN PAINT HOSE AND FITTINGS **PAINT HOSES**

Sedco offer the Binks paint spray hoses in both 1/4" I.D. and 3/8" I.D.

The Binks hoses listed are compliant for use in ATEX Zone 1 areas and have a solvent proof liner for use with solvent and water based coatings.



Part	Outside	Inside	Coil	Working	Colour
Number	Diameter	Diameter	Size	Pressure	
H-7503	9/16"	1/4"	Per Metre	34 BAR	Black
H-7503-150M	9/16"	1/4"	150 Metre	34 BAR	Black
H-7504	13/16"	3/8"	Per Metre	34 BAR	Black
H-7504-150M	13/16"	3/8"	150 Metre	34 BAR	Black
RE-USABLE PLATED BRASS FLUID HOSE CONNECTIONS					
Part	Bore	Connector	For Use	"O" Clip	Re Usable
Number	Size	Thread	With Hose		Olive
P-HC-4523	1/4"	1/4" NPS	H-7503	N/A	HC-20
P-HC-4543	1/4"	3/8" NPS	H-7503	N/A	HC-20
P-HC-4528	3/8"	1/4" NPS	H-7504	N/A	HC-23
P-HC-4548	3/8""	3/8" NPS	H-7504	N/A	HC-23
	PLATE	D NUT & TAIL I	HOSE CONNEC	TIONS	
NT1414	1/4"	1/4" BSP	H-7503	OC 12	N/A
NT3814	1/4"	3/8" BSP	H-7503	OC 12	N/A
NT3838	3/8"	1/4 BSP	H-7504	OC 58	N/A
NT3838	3/8"	3/8" BSP	H-7504	OC 58	N/A











### **SECTION 4**

## MANUAL SPRAY GUN AIR HOSE AND FITTINGS **AIR HOSES**

Sedco offer paint spray air hoses in 5/16" I.D.

The hoses listed are compliant for use in ATEX Zone 1 areas.



Part	Outside	Inside	Coil	Working	Colour	
Number	Diameter	Diameter	Size	Pressure		
	BREATHI	NG AIR HOSI	ES ATEX CO	MPLIANT		
H-7501	16mm	8mm (5/16")	Per Metre	20 Bar	Red	
H-7501-150M	16mm	8mm (5/16")	150 Metre	20 Bar	Red	
NON BREATHING AIR HOSE ATEX COMPLIANT						
HSAIR516ATEXM	15mm	8mm (5/16")	Per Metre	20 Bar	Red /Black	
HSAIR516ATEXC	15mm	8mm (5/16")	50 Metre	20 Bar	Red/Black	
	RE-USABLE P	LATED BRASS	FLUID HOSE C	ONNECTIONS		
Part	Bore	Connector	For Use	"O" Clip	Re Usable	
Number	Size	Thread	With Hose		Olive	
P-HC-4527	8mm	1/4" NPS	H-7501	N/A	HC-12	
P-HC-4527	8mm	1/4" NPS	HSAIR516 ATEX	N/A	HC-12	
	PLATE	D NUT & TAIL H	OSE CONNEC	TIONS		
			1			
NT14516	8MM	1/4" BSP	H-7501	OC 58	N/A	
NT14516 NT14516	8MM 8mm	1/4" BSP 1/4" BSP	H-7501 HSAIR516 ATEX	OC 58	N/A N/A	











## **SECTION 5** SUCTION HOSE ASSEMBLIES PAINT AND CATALYST

Sedco offer a range of suction and pressure hoses for paint, solvent and catalyst. All assemblies have swaged fittings and Stainless Steel wetted parts. And are ATEX compliant.

Part Number	Inside Diameter	Length	Connection size	Working Pressure	Colour		
	NYLON LINED PAINT HOSE ASSEMBLY						
H1212125	1/2"	1250mm	1/2" BSP	12 BAR	Black		
PTFE LINED CATALYST HOSE ASSEMBLY							
H1212125PTFE	1/2"	1250MM	1/2"	200 BAR	Black		



Part Number	Inside Diameter	Length	Connection size	Working Pressure	Colour	
UHMWP LINED PAINT & CATALYST HOSE ASSEMBLIES						
H341800ATEX	3/4"	1800MM	3/4" BSP	14 BAR	Black	
H111800ATEX	1"	1800MM	1" BSP	14 BAR	Black	
H112000ATEX	1"	2000MM	1" BSP	14 BAR	Black	
H11800M36	1"	1800MM	M36	14 BAR	Black	











## **SECTION 6**

### PRE MADE AIR & FLUID HOSE AND FITTING ASSEMBLIES

Part	Inside	Length	Connection	Working	Description		
Number	Diameter		size	Pressure			
	ATEX AIR HOSE ASSEMBLIES FOR LOW PRESSURE SPRAY						
H5161450	5/16"	5 Metre	1/4" BSP	20 BAR	ATEX AIR HOSE ASSEMBLY		
H5161475	5/16"	7.5 Metre	1/4" BSP	20 BAR	ATEX AIR HOSE ASSEMBLY		
	ATE	X FLUID HOSE	ASSEMBLIES F	OR LOW PR	ESSURE		
H14383	1/4"	3 Metre	3/8" BSP	34 BAR	ATEX FLUID HOSE ASSEMBLY		
H143850	1/4"	5 Metre	3/8" BSP	34 BAR	ATEX FLUID HOSE ASSEMBLY		
H143875	1/4"	7.5 Metre	3/8" BSP	34 BAR	ATEX FLUID HOSE ASSEMBLY		
H383850	3/8"	5 Metre	3/8" BSP	34 BAR	ATEX FLUID HOSE ASSEMBLY		
H383875	3/8"	7.5 Metre	3/8" BSP	34 BAR	ATEX FLUID HOSE ASSEMBLY		
H383820	3/8"	20 Metre	3/8" BSP	34 BAR	ATEX FLUID HOSE ASSEMBLY		

## **CUSTOM SIZES CAN BE MADE TO ORDER CALL OUR SALES DEPARTMENT FOR PRICES**

TEL: 01942 673184













## TWIN FERRULE TUBE STAINLESS STEEL TUBE **CONNECTIONS**



Sedco offer a range of Stainless Steel tube connections. With smooth interiors they provide a clean route for paints and catalyst with a minimum "Dead Area" for paint to build up causing inclusions in the coating finish.

Part	Description	Connection size	lmage
Number			
TFBH6U	Bulkhead Union 6mm	6mm Tube	
TFBH8U	Bulkhead Union 8mm	8mm Tube	
TFELBM0614T	Elbow Fitting 1/4" BSP Taper Stud x 90 deg El- bow 6mm Tube	6mm Tube x 1/4" BSP Taper Elbow	
TFELBM0812T	Elbow Fitting 1/4" BSP Taper Stud x 90 deg El- bow 8mm Tube	8mm Tube x 1/4" BSP Taper Elbow	
TFELBM0814NPT	Elbow Fitting 1/4" NPT Taper Stud x 90 deg El- bow 8mm Tube	8mm Tube x 1/4" NPT Taper Elbow	











## **SECTION 7 CONTINUED (page 2)** TWIN FERRULE TUBE STAINLESS STEEL TUBE **CONNECTIONS**

Part Number	Description	Connection size	Image
Number			
TFELBM0818T	Elbow Fitting 1/8" BSP Taper Stud x 90 deg El- bow 8mm Tube	8mm Tube x 1/8" BSP Taper Elbow	
TFELBM0838T	Elbow Fitting 3/8" BSP Taper Stud x 90 deg El- bow 8mm Tube	8mm Tube x 3/8" BSP Taper Elbow	
TFELBM1014NPT	Elbow Fitting 1/4" NPT Taper Stud x 90 deg El- bow 10mm Tube	10mm Tube x 1/4" NPT Taper Elbow	
TFELBM1014T	Elbow Fitting 1/4" BSP Taper Stud x 90 deg El- bow 10mm Tube	10mm Tube x 1/4" BSP Taper Elbow	
TFELBM1018T	Elbow Fitting 3/8" BSP Taper Stud x 90 deg El- bow 10mm Tube	10mm Tube x 1/8" BSP Taper Elbow	
TFELBM1038T	Elbow Fitting 3/8" BSP Taper Stud x 90 deg El- bow 10mm Tube	10mm Tube x 3/8" BSP Taper Elbow	
TFF06X38T	Straight Fitting 3/8 BSP Female x 6mm Tube	6mm Tube x 3/8" Female BSP	











## **SECTION 7 CONTINUED (page 3)**

### TWIN FERRULE TUBE STAINLESS STEEL TUBE

Part	Description	Connection size	Image
Number			
TFM06X14T	Straight Stud Fitting 1/4	6mm Tube x 1/4" BSP	
	BSP Male Taper x 6mm Tube	Taper	
TFM06X38T	Straight Stud Fitting	6mm Tube x 3/8" BSP	
	3/8BSP Male Taper x 6mm Tube	Taper	
TFM08X14T	Straight Stud Fitting 1/4	8mm Tube x 1/4" BSP	
	BSP Male Taper x 8mm Tube	Taper	
TFM08X18T	Straight Stud Fitting 1/8	8mm Tube x 1/8" BSP	Allen .
	BSP Male Taper x 8mm Tube	Taper	
TFM08X38T	Straight Stud Fitting 3/8	8mm Tube x 3/8" BSP	No.
	BSP Male Taper x 8mm Tube	Taper	
TFM10X12T	Straight Stud Fitting 1/2 BSP Male Taper x 10mm	10mm Tube x 1/2" BSP	
	Tube	Taper	
		•	
TFM10X14T	Straight Stud Fitting 1/4	10mm Tube x 1/4" BSP	
	BSP Male Taper x 10mm Tube	Taper	
		- apoi	











## TWIN FERRULE TUBE STAINLESS STEEL TUBE

**SECTION 7 CONTINUED (page 4)** 

Part	Description	Connection size	Image
Number			
TEM10X18T	Straight Stud Fitting 1/8 BSP Male Taper x 10mm Tube	10mm Tube x 1/8" BSP Taper	
TFM10X38T	Straight Stud Fitting 3/8 BSP Male Taper x 10mm Tube	10mm Tube x 3/8" BSP Taper	
TFM12X12T	Straight Stud Fitting 1/2 BSP Male Taper x 12mm Tube	12mm Tube x 1/2" BSP Taper	AL STANDARD
TFM12X38T	Straight Stud Fitting 3/8 BSP Male Taper x 12mm Tube	12mm Tube x 3/8" BSP Taper	
TFM38X38P	Straight Stud Fitting 3/8 BSP Male x 3/8" Tube	3/8" Tube x 3/8" BSP Parallel	
TFM916X06	Stud Fitting 9/16" JIC Male x 6mm Tube	6mm Tube x 9/16 JIC	
TFM916X08	Stud Fitting 9/16" JIC Male x 8mm Tube	8mm Tube x 9/16 JIC	AT THE











### TWIN FERRULE TUBE STAINLESS STEEL TUBE

**SECTION 7 CONTINUED (page 5)** 

Part	Description	Connection size	Image
Number			
TFM916X10	Stud Fitting 9/16" JIC Male x 10mm Tube	10mm Tube x 9/16 JIC	
TFSP10X38	Standpipe Fitting 10mm Tube x 3/8" BSP Male	10mm Standpipe x 3/8" BSP Male	
TFNSET38	3/8" Twin Ferrule Nut Only	3/8" Nut Only	
TFNSET6	6mm Twin Ferrule Nut Only	6mm Nut Only	
TFNSET8	8mm Twin Ferrule Nut Only	8mm Nut Only	
TFNSET10	10MM Twin Ferrule Nut Only	10mm Nut Only	
TENSET12	12mm Twin Ferrule Nut Only	12mm Nut Only	











## SECTION 7 CONTINUED (page 6)

### TWIN FERRULE TUBE STAINLESS STEEL TUBE

Part	Description	Connection size	Image
Number			
TFNSET14	1/4" Twin Ferrule Nut Only	1/4" Nut Only	
TFSET06	Olive Set (Front & Back) 6mm	6mm Twin Olive Set	
TFSET08	Olive Set (Front & Back) 8mm	8mm Twin Olive Set	
TFSET10	Olive Set (Front & Back) 10mm	10mm Twin Olive Set	
TFSET12	Olive Set (Front & Back) 12mm	12mm Twin Olive Set	
TFSET14	Olive Set (Front & Back) 1/4"	1/4" Twin Olive Set	
TFSET38	Olive Set (Front & Back) 3/8"	3/8 Twin Olive Set	











## **SECTION 8 MISC FITTINGS & CONNECTIONS**

Part	Description	Connection size	Image
Number			
R6X918BTSG	1/8" Male to 9x6 Stain- less Steel Spring Guard Fitting for AGMD PRO Robot Gun	1/8" BSP Taper x 9x6 Flexible Tube	
R6X938SGB	3/8" BSP Female to 9x6 Stainless Steel Spring Guard Fitting for Fluid Feed Outlet	3/8" BSP Swivel x 9x6 Flexible Tube	
R6X838SGB	3/8" BSP Female to 8x6 Stainless Steel Spring Guard Fitting for Fluid Feed Outlet	3/8" BSP Swivel x 8x6 Flexible Tube	
R8X1038SGB	3/8" BSP Female to 10x8 Stainless Steel Spring Guard Fitting for Fluid Feed Outlet	3/8" BSP Swivel x 10x8 Flexible Tube	
BV14FSS	1/4" BSPP Female wing Ball Valve Stainless Steel. Silicone Free.	1/4"BSP Female	
BV38FSS	3/8" BSPP Female wing Ball Valve Stainless Steel. Silicone Free.	3/8" BSP Female	
BVS12F	1/2" BSPP Female wing Ball Valve Stainless Steel. Silicone Free.	1/2" BSP Female	